



DEPARTMENT OF THE ARMY
U.S. ARMY INSTALLATION MANAGEMENT COMMAND
HEADQUARTERS, UNITED STATES ARMY GARRISON WEST POINT
681 HARDEE PLACE
WEST POINT, NY 10996

IMML-SO

U.S. ARMY GARRISON WEST POINT POLICY # 60

SUBJECT: Garrison Safety and Occupational Health Inspection (SASOHI) Policy

1. REFERENCES.

- a. Army Regulation 385-10, The Army Safety Program, dated 27 November 2013.
- b. Department of the Army Pamphlet 385-10, Army Safety Program, dated 19 January 2010.
- c. Installation Management Command (IMCOM) Regulation 385-10, Safety Program, dated 5 April 2013

2. PUPOSE. To establish the Commander's policy in regard to the conduct of annual safety and occupational health inspections.

3. APPLICABILITY. This policy applies to the facilities and activities of the U.S. Army Garrison West Point and to tenant organizations that are not authorized Career Program-12 safety professionals.

4. POLICY. The Army requires that qualified safety professionals or specially trained personnel competent to conduct a safety inspection, will conduct safety inspections at least annually, and that facilities and operations involving special hazards are inspected more frequently as determined by qualified safety professionals.

a. The IMCOM is unable to resource the Garrison safety program at a capability level that would enable the Garrison Safety Office (GSO) to conduct 100 percent of the annual safety inspections required by Army Safety Program with its authorized resources. As a result of this resource constraint it is necessary to implement an alternate plan to ensure that all annual safety inspections are conducted to ensure the safety of our employees, customers, and the public. Even though the GSO will no longer conduct all annual safety inspections, it is still responsible for tracking safety inspections as an Installation Status Report metric, training inspectors to an adequate level of competency, and providing technical support to all personnel conducting safety inspections. A list of all facilities covered by an adequate level of competency and

IMML-SO

SUBJECT: Garrison Safety and Occupational Health Inspection (SASOHI) Policy

providing technical support to all personnel conducting safety inspections. A list of all facilities covered by this policy and the responsible inspector is included as Enclosure 1. The list is subject to review at least bi-annually, or following the change of garrison commanders.

b. Safety Inspection Responsibilities.

(1) Garrison Safety Office. Conducts annual, or in some cases more frequent, safety inspections of all high and moderate risk facilities and missions. The GSO will also conduct all special inspections that are required on a more frequent basis such as at child care facilities. The GSO also conducts the annual safety inspections of the low risk facilities at Camps Buckner and Natural Bridge each year following de-winterization.

(2) Collateral Duty Safety Officers (CDSO).

(a) Inspections. The CDSOs will continue to conduct and document safety inspections of their assigned area(s) of responsibility as designated by their director, office chief, or supervisor in their CDSO appointment orders. In addition, each CDSO will provide a written inspection report for each inspection through their directorate/office to the GSO within 30 days of the inspection. The report format is included as Enclosure 2, which includes a report narrative and DA Form 4754 Violation Inventory, copies of DA Form 4753 Notices of Unsafe or Unhealthful Working Condition and DA Form 4756 Installation Hazard Abatement Plan as required. In the event that a CDSO encounters a hazard they believe merits a Risk Assessment Code 1, 2, or 3, or they require technical assistance beyond their training and experience, they will call their GSO supporting safety professional for assistance. During the exit briefing following each inspection, the CDSO will inform the appropriate Building Commandant of the need for a Demand Maintenance Order (DMO) formerly known as a service order, or work order (DA Form 4283), or other corrective actions necessary to abate the hazards identified during the CDSO safety inspection. Supervisors will include completion of these CDSO safety inspections on their CDSO's performance support/counseling forms at the rate of at least 20 percent of the CDSO's assigned inspections per quarter.

(b) Competency Training. Each CDSO must complete the pre-requisite on-line Army Learning Management System CDSO course at: <https://safety.army.mil/TRAININGCOURSES/OnlineTraining.aspx> within 30 days of assignment. Each CDSO must also complete the 10 Hour OSHA Course provided by the GSO along with any additional specialty training provided by the GSO required to perform their inspections. The GSO will meet with each CDSO and their supervisor to develop an Individual

IMML-SO

SUBJECT: Garrison Safety and Occupational Health Inspection (SASOHI) Policy

Development Plan to ensure the CDSO completes the training required to achieve the necessary level of competency in their assigned area of responsibility.

(3) Range Safety Officer (RSO). The RSO assigned to the Range Control Office will conduct all safety inspections required for live fire and maneuver training areas. The RSO will provide a copy of each safety inspection report to the GSO within 30 days of the inspection. The report format is included as Enclosure 2, which includes a report narrative, DA Form 4754 Violation Inventory, copies of DA Form 4753 Notices of Unsafe or Unhealthful Working Condition and DA Form 4756 Installation Hazard Abatement Plan as required. The RSO will inform the appropriate Building Commandant of the need for a service order or work order to abate hazards identified during safety inspections. The RSO's supervisor will include safety inspections as a performance objective on the RSO's performance support form.

5. POINT OF CONTACT. The point of contact for this policy is the Garrison Safety Manager, at (845) 938-6129.

2 Enclosures


ANDREW S. HANSON
COL, SF
Commanding

FAC #	FACILITY NAME	HZD	ADDRESS	INSPECTOR
604	Central Power Plant	H	Williams Road	GSO
621	Command Group HQ	H	Wilson Road	GSO
648	Auto Crafts Shop	H	Wilson Road	GSO
664	Fire Department Administration	H	Eichelberger Road	GSO
687	Cadet Clothing Manufacturing	H	Townslay Road	GSO
713	Electric Substation (Arvin)	H	713 Parke Rd Ext.	GSO
715	Electric Substation (North)	H	Biddle Loop	GSO
716	Ski Slope Compressor	H	Route 218	GSO
721	West Point Fire House (Station 1)	H	Washington Road	GSO
726	Water Treatment Plant (Lusk)	H	Stony Lonesome Rd	GSO
746	Ski Slope Chair Lift	H	Route 218	GSO
805	Harbormaster Storage	H	Ernst Road	GSO
849	Sewage Treatment Plant	H	Upton Road	GSO
901	Engineering Storage Bldg	H	Merritt Road	GSO
905	Engineering Storage Bldg	H	Garrard Road	GSO
912	Refueling Station	H	Washington Road	GSO
917	General Purpose Storage	H	Washington Road	GSO
1210	Water Treatment Plant (Stony)	H	Patrick Trail	GSO
1223	Golf Course Maint /Admin. Facility	H	Route 9W north	GSO
1277	Ready Fuse Magazine	H	Range 2	GSO
1278	Ready Fuse Magazine	H	Range 2	GSO
1281	Ready Fuse Magazine	H	Range 2	GSO
1282	Ready Fuse Magazine	H	Range 2	GSO
1351	General Purpose Storage	H	Round Pond	GSO
1378	Refuse Transfer Station	H	Route 293	GSO
1379	Recycling Center	H	Range 4 McNair Rd	GSO
1397	Storage Range 8/Carpenter's Shop	H	Range 8	GSO
1434	Carpenter's Shop	H	Range 8	GSO
1542	Buckner Sewage Treatment Plant	H	Patch Road	GSO
1625	Arms Room - Buckner	H	Camp Buckner	GSO
1667	Stillwell Lake Dam	H	Mine Tome Road	GSO
1712	Arms Room - Natural Bridge	H	Camp Natural Bridge	GSO
1940	Motor Pool Vehicle Maintenance	H	Route 293	GSO
1960	Motor Pool Refueling Station	H	Route 293	GSO
1981	Furnace Road Valve House	H	CS/MineTome Rd	GSO
2110	Olmsted Hall (WP Museum)	H	Pershing Center	GSO
667B	Engineering Building - Shops	H	Ruger Road	GSO
745A	Cadet Mess	H	Brewerton Road	GSO
845A	Post Laundry Plant	H	Washington Road	GSO
845B	Steam Boiler Plant	H	Washington Road	GSO
140	Child Development Center	M	Buckner Loop	GSO
600	Youth Activity Center	M	Washington Road	GSO
603	West Point Club	M	Cullum Road	GSO
620	Old Cavalry Barracks/MP Bks	M	Knox Place	GSO
638	Engr Platoon Storage	M	Howze Place	GSO
646	Defense Automated Prtg. Ser.	M	Swift Road	GSO
670	USMA Engineer Platoon	M	Eichelberger Road	GSO
670	USMA Engineer Platoon	M	Eichelberger Road	GSO
693	School Age Services	M	Washington Road	GSO
702	Warehouse Storage Bldg	M	Washington Rd	GSO
705	WP Middle School	M	Barry Road	GSO
718	Victor Constant Ski Lodge	M	Route 218	GSO
722	West Point Cadet Chapel	M	DeRussey Loop	GSO
731	Water Pump Station	M	Merritt Road	GSO
732	Victor Constant Rental/Admin	M	Route 218	GSO
743	Engineering Equip Storage	M	Garrard Road	GSO
765	Delafield Pond Bath House	M	Delafield Road	GSO
826	Electric Transformer Vault	M	Mills Road	GSO
835	Electric Transformer Vault	M	Delafield Road	GSO
853	Electric Transformer Vault	M	W. Moore Loop	GSO
856	Electric Transformer Vault	M	W. Moore Loop	GSO
904	Engineering Equipment Storage	M	Washington Road	GSO
906	Engineering Storage Bldg	M	Garrard Road	GSO
907	General Purpose Storage	M	Washington Rd	GSO
910	Water Pumping Station	M	Vic E Lot	GSO
913	General Purpose Storage	M	Washington Rd	GSO
1200	Commissary	M	Stony Lonesome Rd	GSO
1203	Stony Satellite Fire Station	M	Stony Lonesome Rd	GSO
1207	Child Development Center	M	Patrick Trail	GSO
1222	Golf Course Maint. Facility	M	Route 9W North	GSO
1227	Ski Storage / Old Golf Maintenance	M	Victor Constant Rd	GSO
1230	Golf Course Club House	M	Route 9W Interchange	GSO
1241	Hazardous Materials Storage	M	Ordance Rd	GSO
1245	Engineering Fire House Storage	M	Ordance Rd	GSO
1289	Observation Shelter and Tower	M	Range 1/flower	RSO
1310	Water Pump Station Long Pd	M	Route 293	GSO
1336	Range Tower Range 3	M	Range 5	RSO
1364	Combat Pistol Firing Shed	M	Range 9	RSO

1387	Range Tower Range 4	M	Range 4	RSO
1390	Range Tower Range 10	M	Range 10	RSO
1398	Target Maint. Bldg Range 5	M	Range 5	RSO
1400	CB Fire House	M	1400 RT. 293	GSO
1402	Range Tower	M	Range 7	RSO
1403	Range Control HQ	M	Route 293	RSO
1423	Mess Shed Range 11(demoed,new	M	Range 11	RSO
1425	Range Tower	M	Range 11	RSO
1427	Ammunition Breakdown Range 11	M	Range 11	RSO
1428	Maintenance Bldg	M	Range 11	RSO
1438	Range 8 Tower	M	Range 8	RSO
1532	Boiler Plant - Buckner	M	Camp Buckner	GSO
1534	Doris Barth Hall - Buckner	M	Pershing Road	GSO
1538	Boiler Plant - Buckner	M	Camp Buckner	GSO
1539	Boiler Plant - Buckner	M	Patch Road	GSO
1543	Boiler Plant - Buckner	M	Pershing Road	GSO
1544	Boiler Plant - Buckner	M	Pershing Road	GSO
1551	Boiler Plant - Buckner	M	Pershing Road	GSO
1553	Boiler Plant - Buckner	M	Pershing Road	GSO
1563	Boiler Plant - Buckner	M	Pershing Road	GSO
1578	Gen Purpose Storage - Buckner	M	Camp Buckner	GSO
1585	Mess Hall - Buckner	M	Pershing Center Rd	GSO
1599	Boiler Plant - Buckner	M	Pershing Road	GSO
1600	Buckner Sewage Pump Station	M	Pershing Road	GSO
1610	Water Pumping Station	M	Pershing Rd	GSO
1622	Boiler Plant - Buckner	M	Camp Buckner	GSO
1623	Boiler Plant - Buckner	M	Mine Rd	GSO
1701	Mess Hall - Natural Bridge	M	Camp Natural Bridge	GSO
1720	Vehicle Maint - Natural Bridge	M	Camp Natural Bridge	GSO
1724	Water Treatment Plant	M	Camp Buckner	GSO
1736	Detached Laundry - Natural Bridge	M	Camp Natural Bridge	GSO
1849	Recreation Hall - Lake Frederick	M	Bull Pond Rd	GSO
1900	Range 14 Shoot House	M	Range 14	RSO
1942	Motor Pool Vehicle Washing	M	Route 293	GSO
1944	Motor Pool Water Treatment	M	Route 293	GSO
1946	Motor Pool Dispatch	M	Route 293	GSO
1960	Motor Pool Inspection Ramp	M	Route 293	GSO
1983	Popolopen Brook Upper Dike/Intake	M	Natural Bridge Rd	GSO
604F	Storage Building	M	Ernst Road	GSO
705A	WP Elementary School	M	Barry Road	GSO
706C	WPS Gymnasium	M	Barry Road	GSO
147	West Point Cadet Interfaith Center	L	Howard Road	CDSO
608	Thayer Gate	L	Thayer Road	CDSO
612	South Dock	L	Ernst Road	CDSO
616	Stem Law Enforcement	L	616 Swift Road	CDSO
618	Public Restroom	L	Swift Road	CDSO
624	Enlisted Bks W/O Mess	L	Wilson Road	CDSO
628	Soldier's Club/Bufalo Soldier Pav	L	Wilson Road	CDSO
631	Public Restroom	L	Ruger Road	CDSO
662	Unaccompanied Personnel Housin	L	Eichelberger Road	CDSO
664	Unaccompanied Personnel Housin	L	Eichelberger Rd	CDSO
666	Army Substance Abuse Program	L	Eichelberger Rd	CDSO
662	Unaccompanied Personnel Housin	L	Eichelberger Rd	CDSO
672	Water Pump Station	L	Mills Road	CDSO
675	Boy/Girl Scout Building	L	Townsley Road	CDSO
681	Garrison HQ Building	L	Townsley Road	CDSO
682	Harbormaster's Office South Dock	L	Ernst Road	CDSO
683	Fitness Center/Education Center	L	Buckner Loop	CDSO
689	West Point Old Cadet Chapel	L	Corbin Road	CDSO
692	West Point Post Chapel Annex	L	Biddle Loop	CDSO
696	Old Railroad Station	L	Williams Road	CDSO
699	West Point Catholic Chapel	L	Stony Lonesome Rd	CDSO
711	Schultz Gate Washington Road/218	L	Washington Road -	CDSO
724	Public Restroom	L	Stony Lonesome Rd	CDSO
729	Public Restroom	L	Washington Road	CDSO
734	Storage Building/Garage	L	Hodges Pl	CDSO
744	Rope Tow Building	L	Rt 218	CDSO
760	West Point Jewish Chapel	L	Merritt Road	CDSO
763	Public Restroom	L	Cemetery	CDSO
767	Public Restroom	L	Ernst Road	CDSO
771	Class of 49 Lodge	L	DeLafield Road	CDSO
791	West Point Post Chapel Annex	L	Bartlett Road	CDSO
799	West Point Post Chapel	L	Biddle Loop	CDSO
821	Electric Transformer Vault	L	Tillman Place	CDSO
822	Electric Transformer Vault	L	Partridge Place	CDSO
823	Electric Transformer Vault	L	Biddle Loop	CDSO
824	Electric Transformer Vault	L	Kinsley Hill Road	CDSO
825	Electric Transformer Vault	L	Washington Road	CDSO
828	Electric Transformer Vault	L	Swift Road	CDSO
830	Electric Transformer Vault	L	Knox Place	CDSO

832	Electric Transformer Vault	L	Fenton Place	CDSO
834	Electric Transformer Vault	L	Smith Place	CDSO
836	Electric Transformer Vault	L	Fenton Place	CDSO
838	Electric Transformer Vault	L	Wilson Road	CDSO
840	Electric Transformer Vault	L	Schofield Place	CDSO
847	Ejector Station	L	Ernst Road	CDSO
902	Salt & Sand Dome #1	L	Garrard Road	CDSO
1202	Shoppette	L	Stony Lonesome Rd	CDSO
1204	Post Exchange	L	Stony Lonesome Rd	CDSO
1206	New Stony Gate	L	Stony Lonesome Rd	CDSO
1232	Golf Cart Storage/Wash	L	Rt. 218	CDSO
1234	Storage Building	L	Ordnance Road	CDSO
1236	Hazardous Materials Office	L	Ordnance Road	CDSO
1240	Storage Building	L	Ordnance Road	CDSO
1285	Operations Building	L	Range 1/ upper	CDSO
1330	ITAM	L	Round Pond	CDSO
1331	Water Pump House Round Pd	L	Round Pond	CDSO
1338	Range Support Facility	L	Range 5	RSO
1348	Admin Office	L	Round Pond	CDSO
1360	Bass Boat Storage Round Pd	L	Round Pond	CDSO
1352	Recreation Bldg - Community House	L	Round Pond	CDSO
1353	Rental Cabin Round Pd	L	Round Pond	CDSO
1354	Bonneville Cabin	L	Round Pond	CDSO
1356	Pump House	L	Round Pond	CDSO
1364	Bath House Round Pd	L	Round Pond	CDSO
1399	McNair Observation Post	L	Range 5	CDSO
1401	Guard House-Entrance to Ranges	L	Range 7	CDSO
1421	Range 11 Support Bldg	L	Range 11	RSO
1437	Range 4 Support Facility	L	Range 4	RSO
1443	Range 4 & 5 Guard House	L	Route 293	RSO
1501	Cadet Barracks Buckner	L	Camp Buckner	GSO
1502	Cadet Barracks Buckner	L	Camp Buckner	GSO
1503	Cadet Barracks Buckner	L	Camp Buckner	GSO
1504	Cadet Barracks Buckner	L	Camp Buckner	GSO
1505	Cadet Barracks Buckner	L	Camp Buckner	GSO
1506	Cadet Barracks Buckner	L	Camp Buckner	GSO
1507	Cadet Barracks Buckner	L	Camp Buckner	GSO
1508	Cadet Barracks Buckner	L	Camp Buckner	GSO
1509	Cadet Barracks Buckner	L	Camp Buckner	GSO
1510	Cadet Barracks Buckner	L	Camp Buckner	GSO
1511	Cadet Barracks Buckner	L	Camp Buckner	GSO
1512	Cadet Barracks Buckner	L	Camp Buckner	GSO
1513	Cadet Barracks Buckner	L	Camp Buckner	GSO
1514	Cadet Barracks Buckner	L	Camp Buckner	GSO
1515	Cadet Barracks Buckner	L	Camp Buckner	GSO
1516	Cadet Barracks Buckner	L	Camp Buckner	GSO
1517	Cadet Barracks Buckner	L	Camp Buckner	GSO
1518	Cadet Barracks Buckner	L	Camp Buckner	GSO
1519	Cadet Barracks Buckner	L	Camp Buckner	GSO
1520	Cadet Barracks Buckner	L	Camp Buckner	GSO
1521	Cadet Barracks Buckner	L	Camp Buckner	GSO
1522	Cadet Barracks Buckner	L	Camp Buckner	GSO
1523	Cadet Barracks Buckner	L	Camp Buckner	GSO
1524	Cadet Barracks Buckner	L	Camp Buckner	GSO
1525	Cadet Barracks Buckner	L	Camp Buckner	GSO
1528	Cadet Barracks Buckner	L	Camp Buckner	GSO
1529	Popolopen Lake Dam	L	Camp Buckner	CDSO
1545	Hunt Control Office	L	Pershing Road	CDSO
1547	Mail Room - Buckner	L	Camp Buckner	CDSO
1548	Buckner HQ Building	L	Camp Buckner	CDSO
1550	Buckner Bath House	L	Camp Buckner	CDSO
1558	Training Admin/Storage	L	Camp Buckner	CDSO
1558	2nd Class Club - Buckner	L	Camp Buckner	CDSO
1559	Canoe Dock - Buckner	L	Camp Buckner	CDSO
1561	Central Guard Rm - Buckner	L	Camp Buckner	CDSO
1562	Staff Barracks - Buckner	L	Camp Buckner	GSO
1564	Facility Manager Office - Buckner	L	Camp Buckner	CDSO
1565	Supply - Buckner	L	Camp Buckner	CDSO
1570	Utilities Bldg	L	Pershing Road	CDSO
1576	Buckner Theater	L	Camp Buckner	CDSO
1579	Restroom - Buckner	L	Camp Buckner	CDSO
1590	Buckner Dispensary	L	Camp Buckner	CDSO
1592	Firsty Club - Buckner	L	Camp Buckner	CDSO
1611	Barracks Camp Buckner	L	Camp Buckner	GSO
1612	Barracks Camp Buckner	L	Camp Buckner	GSO
1613	Barracks Camp Buckner	L	Camp Buckner	GSO
1614	Barracks Camp Buckner	L	Camp Buckner	GSO
1615	Barracks Camp Buckner	L	Camp Buckner	GSO
1616	Barracks Camp Buckner	L	Camp Buckner	GSO
1617	Barracks Camp Buckner	L	Camp Buckner	GSO

1618	Barracks Camp Buckner	L	Camp Buckner	GSO
1619	Barracks Camp Buckner	L	Camp Buckner	GSO
1620	Barracks Camp Buckner	L	Camp Buckner	GSO
1621	Barracks Camp Buckner	L	Camp Buckner	GSO
1624	Barracks Camp Buckner	L	Camp Buckner	GSO
1630	Communications Ctr - Buckner	L	Pershing Road	CDSO
1668	Mine Lake Dam	L	Patton Road	CDSO
1671	Demolition Support Facility	L	Range 12	RSO
1702	Detached Latrine - Natural Bridge	L	Camp Natural Bridge	CDSO
1703	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1704	Barracks - Natural Bridge	L	Camp Natural Bridge	O
1705	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1706	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1707	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1708	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1709	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1710	HQ Bldg - Natural Bridge	L	Camp Natural Bridge	CDSO
1711	Guard House - Natural Bridge	L	Camp Natural Bridge	CDSO
1713	Admin Bldg - Natural Bridge	L	Camp Natural Bridge	CDSO
1715	Camp Facilities Manager Office	L	Patton Road	CDSO
1719	Water Intake Bldg - Natural Bridge	L	Natural Bridge Rd	CDSO
1721	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1722	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1723	Enlisted Club - Natural Bridge	L	Natural Bridge Rd	CDSO
1731	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1732	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1733	Detached Latrine - Natural Bridge	L	Camp Natural Bridge	CDSO
1734	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1735	Barracks - Natural Bridge	L	Camp Natural Bridge	GSO
1736	Detached Laundry - Natural Bridge	L	Camp Natural Bridge	CDSO
1809	Range Support/Land Navigation	L	Area O	RSO
1840	Range Support/Land Navigation	L	Area C	RSO
1857	Range Support Facility - Area R	L	Bailey Road	RSO
1858	Range Support Facility - Area R	L	Bailey Road	RSO
1864	Rec Pavilion Lake Frederick	L	Off Proctor Rd	CDSO
1870	Restroom Lake Frederick	L	Off Proctor Rd	CDSO
1872	Rec Shelter Lake Frederick	L	Off Proctor Rd	CDSO
1982	Queensboro Sewage Meter Station	L	Queensboro Rd	CDSO
2024	Morgan Farm Kennels	L	Morgan Farm	CDSO
2026	Morgan Farm Stables	L	Morgan Farm	CDSO
1207A	CDC Emergency Shelter	L	Patrick Trail	CDSO
1990	UAC	L	Range 14	RSO
1994	UAC	L	Range 14	RSO
1996	UAC	L	Range 14	RSO
1975A	Mini-Mart Mout	L	Queensboro Rd	RSO
1975B	MOUT Church	L	Queensboro Rd	RSO
1975C	MOUT 2 Story House	L	Queensboro Rd	RSO
706A	Salt & Sand Dome #2	L	706A Stony Lonesome	CDSO
707A	Fort Putnam/McLean Museum	L	707A Delafield Road	CDSO
763A	Public Restroom (Accessible)	L	Cemetery	CDSO
T0001	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0002	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0003	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0004	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0005	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0006	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0007	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0008	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0009	A Frame Lake Frederick	L	Lake Frederick	CDSO
T0010	A Frame Lake Frederick	L	Lake Frederick	CDSO



DEPARTMENT OF THE ARMY
U.S. ARMY INSTALLATION MANAGEMENT COMMAND
HEADQUARTERS, UNITED STATES ARMY GARRISON WEST POINT
681 HARDEE PLACE
WEST POINT, NY 10996

Office Symbol

Inspector's
Date

MEMORANDUM THRU Inspector's Director or Office Chief Address

FOR Director, Safety and Occupational Health, 667A Ruger Road, West Point, New York 10996

SUBJECT: Safety and Occupational Health Inspection of Facility Name/Number

1. References:

a. 29 CFR 1910, Occupational Safety & Health Administration (OSHA) General Industry Regulations.

b. AR 385-10, The Army Safety Program, dated 27 November 2013.

c. DoDI 6055.1, DoD Safety and Occupational Health (SOH) Program, dated 14 October 2014.

d. Others as applicable.

2. On date the Collateral Duty Safety Officer or Range Safety Officer conducted a safety and occupational health inspection of the facility, in Building number. The inspection was conducted by inspector's name of the directorate or office. Your representative who escorted the inspector was facility supervisor. The inspector provided your representative an exit briefing of any findings detected during the inspection prior to departure.

3. Findings noted during this inspection are listed on the attached Violation Inventory (Enclosure 1). Following the exit briefing, the facility supervisor is responsible for accomplishing the abatement of any hazards identified during the inspection, including any service order or work order required. The inspector assigned a Risk Assessment Code (RAC) to each finding to indicate the priority you should place on addressing each finding in terms of the hazard posed by each finding. The following table extracted from DoD Instruction 6055.01, DoD Safety and Occupational Health Program provides the timeframe required to abate each finding. This timeframe commences the next duty day following the inspection.

IMML-SO

SUBJECT: Standard Army Safety and Occupational Health Inspection (SASOHI) of the Facility Name/Number

Table 1 (DoDI 6055.1)

RAC Code	Abatement (days)	Installation Abatement Plan (days)
1	10	30
2	30	30
3	90	30

4. Summary: The status of Facility Name/Number is Green or Amber or Red. You must post any enclosed DA Form 4753, Notice of Unsafe or Unhealthful Working Conditions (Enclosure 2) at or near the violation for at least three days or until the violation is abated, whichever is longer. If you are unable to accomplish the abatement of a finding assigned a RAC of 1, 2, or 3 within 30 days, you are required to prepare and submit an Installation Hazard Abatement Plan, DA Form 4756 (Enclosure 3) for each finding and submit it to the Garrison Safety Office for approval no later than the 30th calendar following the inspection. An Installation Hazard Abatement Plan is also required immediately if it is, or at any time becomes, readily apparent that it is not feasible to abate the hazard within the initial 30 day period. In either situation, you are required to provide an updated status of the Installation Hazard Abatement Plan to the Garrison Safety Office every 30 days thereafter until abatement of the hazard is complete.

5. Please direct any questions to the inspector, _____ at 845-938-_____.

FOR THE COMMANDER:

3 Enclosures

INSPECTOR'S NAME
Collateral Duty Safety Officer
Directorate/Office

VIOLATION INVENTORY LOG

For use of this form, see DA PAM 385-10; the proponent agency is OCSA.

LOG OF SCHEDULE OF CORRECTIVE ACTION-COMPLIANCE WITH SAFETY AND HEALTH STANDARDS

NAME OF INSTALLATION

ITEM	LOCATION OF INCONSISTENCY <i>a</i>	OSHA REFERENCE		INCONSISTENCY <i>d</i>	CORRECTIVE ACTION <i>e</i>	TARGET DATE FOR CORRECTIVE ACTION <i>f</i>	DEGREE OF DANGER <i>g</i>	ESTIMATED COST <i>h</i>
		TITLE/PART <i>b</i>	SUB-PART <i>c</i>					

NOTES:
 1/ Such as "Carpenter Shop and/or Building Number."
 2/ Include paragraph number in another code if further referenced.

3/ Use Roman numerals (Category I - Imminent danger, Category II - Serious hazard, Category III - Moderate hazard, Category IV - De minimus hazard)

DA FORM 4754, OCT 1978

APD LC v2.00

INSTALLATION HAZARD ABATEMENT PLAN <small>For use of this form, see DA PAM 385-10; the proponent agency is OCSA.</small>		
1 PROJECT NO	2 DATE PREPARED	3 DATE REVISED
4 ACTIVITY/ORGANIZATION	5 HAZARD LOCATION(S)	6 RISK ASSESSMENT CATEGORY
7 CITATION OF SPECIFIC OSHA AND OTHER STANDARD VIOLATED		
8 DESCRIPTION OF PROPOSED CORRECTIVE ACTION OR REMEDIAL MEASURES		
9a ESTIMATED COST OF CORRECTIVE ACTION \$	9b APPROPRIATION	
9c PROGRAM ELEMENT NUMBER	9d BUDGET COST ESTIMATED (BCE Yes <input type="checkbox"/> No <input type="checkbox"/>)	
10 ESTIMATED ADDITIONAL OPERATING AND MAINTENANCE COSTS, IF ANY \$		
11 DESCRIPTION OF INTERIM HAZARD CONTROL MEASURES IN EFFECT		
12 OTHER RELEVANT INFORMATION		
13 ESTIMATED ABATEMENT COMPLETION DATE		
PREPARED BY	APPROVED BY	

DA FORM 4756, OCT 1978

APD LC v2.00

Enclosure 3